



# HERTFORDSHIRE GUIDETO SUSTAINABILITY



### D P C ENGINEERING

WELDING FABRICATION AND
SPECIALIST ENGINEERING SERVICES

STAINLESS STEEL/ ALUMINIUM/ SPECIAL STEELS

- STRUCTURAL AND DECORATIVE STEELWORK AND STAINLESS STEEL CONPONENTS
- SERVICE PROVIDED TO COMMERCIAL AND PRIVATE CLIENTS
- SINGLE BEAMS TO FULL BUILDINGS
- **CUTTING/ FOLDING/ GULLIOTINING**
- MACHINING/ DRILLING/ PUNCHING
- CAA APPROVED

TEL: 01442 871871

EMAIL: dave@dpcengineering.co.uk

UNIT 30, BOURNE END MILLS INDUSTRIAL ESTATE, HEMEL HEMPSTEAD, HERTS, HP1 2UJ



#### Contents

Why is sustainability important?	3
Energy Consumption in Buildings.	7
Using Energy Efficiently	9
Sustainability, Planning and Build	ing
Regulation Requirements	16
What is Zero Carbon Dioxide?	23
Renewable Energy	26
Water Management	32
The Existing Housing Stock	39
Conclusion	43

We very gratefully acknowledge the support of the firms whose advertisements appear throughout this publication.

As a reciprocal gesture we have pleasure in drawing the attention of our readers to their announcements. It is necessary however for it to be made clear that, whilst every care has been taken in compiling this publication and the statements it contains, neither the promoter involved nor the Publisher can accept responsibility for any inaccuracies, or for the products or services advertised.

Designed and published by Ten Alps Publishing, Trelawney House, Chestergate, Macclesfield, Cheshire SK11 6DW. Tel: (01625) 613000. www.tenalpspublishing.com Ref: BUN (June, 2012)



#### BLEL Roofing ROOFING SERVICES

#### telephone 01582 455025 bplroofing@hotmail.co.uk

Friendly and reliable roofing service covering Luton, Dunstable, Bedfordshire, Buckinghamshire, Hertfordshire and Greater London, we offer free advice, quotations and 24 hour emergency call out.

We are a family run roofing business, father and son, with over 40 years roofing experience. We provide a comprehensive range of roofing services from roof repair to a complete new roof. The company is owned and managed by Ben Large, a professional roofer, who has over 15 years of experience in the Trade.

In that time we have built up a successful reputation based on the quality of our work and the reliability of our service. The company is based in Bedfordshire, however we cover the Buckinghamshire, Hertfordshire and Greater London areas.

We pride ourselves in the excellence of the workmanship provided, attention to detail and completing the job in a specified time.

As a valued customer we offer you free roofing advice and a free quotation so there is no obligation to buy, so why not give our service a try, we are only a phone call away!

Sustainability is a very current topic, it is frequently in the news and we are constantly supplied with information about the state of the climate and the green credentials of various products and initiatives.

This guide will focus on what sustainability means from a Planning and Building Control point of view. Through a series of chapters it will look at some of the key issues and try to explore some of the options that we have available to us to reduce the impact that our buildings have on the environment around us.

This first chapter will look at some of the arguments as to why sustainability is important. There are a number of reasons why we should build in a sustainable way, some are altruistic, some economic and some simply practical.

Most scientists agree that our climate is changing due to the effects of global warming. It is thought that the  $\mathrm{CO}_2$  released into the atmosphere by the burning of fossil fuels by the industrialised world becomes trapped in the upper atmosphere and forms a layer that acts like a greenhouse, warming the earth below. The resulting temperature rises

## by the industrialised world becomes trappe atmosphere and forms a layer that acts like warming the earth below. The resulting tenderal and the second state of the sec

Important?

have the potential to upset the balance of the earth's climate causing polar ice caps to melt, sea levels to rise and established weather patterns to be disturbed. It is thought that if temperatures are allowed to rise beyond certain levels that the effects of climate change will be irreversible and this could have catastrophic effects on the earth's eco systems.

The earth contains a finite amount of oil, coal and gas and this has been formed over millions of years. As we extract fossil fuels from the earth the reserves reduce and there will come a time when the reserves are exhausted. The UK's North Sea gas stocks have declined to the extent that we are now a net importer of energy. No one is sure



RF Loft Conversions are a local family run business with over 19 years experience in this field and have built up an excellent reputation for quality loft conversions at affordable prices with many of our Lofts available for inspection.

We offer a full design and planning service so that we build the Loft Conversion that meets all of your expectations and beyond... we convert ordinary lofts into extra ordinary spaces.

We believe in working in partnership with your ideas, thoughts and budgets. The Loft conversion that we build is truly what you want in today's modern living world.

RF Loft Conversions is headed up by our time served craftsman. Richard....., and is supported by a network of qualified tradesmen for all aspects of your conversion

From design to completion **Free Quotations** Over 19 years experience Past Loft conversions available for inspection

#### WWW.TRUSTATRADER.COM

tel. 01442 255 764 mob. 07956 512571 87 Chambersbury Lane, Hemel Hempstead www.rfloftconversions.co.uk enquiries@rfloftconversons.co.uk



how much oil remains in the earth for extraction and exploration continues to discover new oil fields. What is clear is that the oil that is being discovered is increasingly difficult to extract and much of it is located in far off areas of the world. As reserves become more difficult to exploit, the price of oil will need to rise to make extraction economically viable and if supplies become short, oil rich countries may be less willing to export their reserves. This will inevitably lead to rising energy prices and subsequent rises in our cost of living both directly in terms of heating and transport fuels and indirectly through the increased cost of manufactured and transported goods.

Since the industrial revolution the majority of the world's fossil fuel consumption has occurred in the Western world. In more recent times the developing economies notably in China and India have added significantly to the demand for oil and this pattern is likely to be repeated as other parts of the world develop.

The world's population is still expanding and as it increases demands on the environment grow. The World Wildlife Fund Living Planet Report 2008 calculated that currently global resource use exceeds earth's capacity to regenerate by approximately 30% and at current growth rates we would need two planets to support our demands by 2030. To use a financial analogy we are drawing down on earth's capital rather than living on the interest.

CO<sub>2</sub> production is a concern to governments across the globe. In the UK the government have made commitments to make significant reductions in UK CO<sub>2</sub> outputs. Within the UK 45% of CO<sub>2</sub> production is attributed to buildings, 27% of CO<sub>2</sub> production comes from dwellings and 73% of the CO<sub>2</sub> produced in dwellings is from space and water heating so this is a key area where the government feel that CO<sub>2</sub> emissions can be reduced. Since the 1980s, efforts have been made to improve the thermal performance of buildings, and houses in particular, and whilst improvements in performance have been made, there is concern that many of these CO<sub>2</sub> savings have been cancelled out by increased consumption from lighting and electronic gadgets. The Department for Communities and Local Government are suggesting a four step approach to reducing CO<sub>2</sub> emissions from the UK.

#### These are:-

1. Reducing Heatloss Through the Fabric of Buildings: the Building Regulations will be

- used to ensure that our homes are as energy efficient as possible.
- Decarbonising the Grid: CO<sub>2</sub> emissions can be reduced if energy is produced in 'cleaner' ways. Most electricity is currently generated using coal or gas which produces CO<sub>2</sub>. Increased use of renewables through wind, wave and hydro electric power and nuclear energy will be needed to make our energy supplies less CO<sub>2</sub> intensive.
- 3. Requiring Electronic Devices to be More Energy Efficient.
- 4. Changing People's Attitude Towards Energy Use.

Sustainability is, however, about more than energy supplies. A widely accepted definition of sustainable development suggests that ...'sustainable development meets the needs of the present without compromising the ability of future generations to meet their own need'... and this seems a guite reasonable aspiration.

Sustainable development encompasses much wider issues. It should respect our heritage and be accessible and suitable for the population that need to use it. Sustainable development must also consider the effects it has on its surroundings in areas such as flooding. This guide will focus on sustainability in terms of energy and water use but it is important to remember that true sustainability will only be achieved if the many other issues are addressed.

Planning Permission and Building Regulations consent affect buildings when they are newly constructed or altered. Improving the sustainability of buildings generally requires investment and disturbance to the occupants so there needs to be a catalyst to make these improvements happen. It is logical to try and make improvements when buildings are being constructed or other building work is being carried out and for this reason Planning Permission and Building Regulations are appropriate pieces of legislation to drive practical improvements in the environmental performance of the building stock.

There are clearly a number of reasons why it would be prudent to minimise our energy use and  $\mathrm{CO}_2$  production and to reduce our reliance on fossil fuels. Planning Permission and Building Regulations consent will not be able to solve all of the problems highlighted above but they will have a significant part to play in terms of reducing energy use,  $\mathrm{CO}_2$  production and fossil fuel demand from our buildings.

## **Installations Ltd**

#### SPECIALISTS IN CONSERVATORIES, WINDOWS AND DOORS

Supplied and fitted by professionals with years of experience at prices you can afford.

We will try to beat any quote and it won't even cost you the price of a phone call to find out.

 Large commercial work also undertaken So pick up the phone and try us. If you don't you will never know. It could save you thousands!

"Don't pay more, than next door".



FREE PHONE: 0800 7838 518 Committed to providing a friendly, reliable and honest service with guarantee and quality. Free no obligation quote.

Email: miginstallations@hotmail.com





Unit 25, Kimps Way Hemel Hempstead, Herts HP3 8EN

Tel: 01442 211880 Fax: 01442 211888 Email: info@amgbuilding.co.uk www.amgbuilding.co.uk

**The Complete Building Service From Conception to Completion** 



- Extensions
- **Loft Conversions**
- Refurbishments
- Conservatories
- **New Builds**
- Patios & Driveways
- All Trades
- **Drawings & Approvals**
- Reliable & Fully Insured


Within the UK, buildings are one of the largest users of energy and accordingly the largest generators of CO<sub>2</sub>. Government figures suggest that 45% of CO2 production in the UK is attributable to buildings and 27% of CO<sub>2</sub> is produced in our homes. Buildings use energy for a number of processes and the graph below gives an indication of how energy use is broken down in a typical house.

#### **Heating**

It can be seen from the graph that, in a typical household, space and water heating accounts for around 73% of the energy used and that currently 80% of domestic heating is gas fired. Heat can escape through all building elements and to preserve energy it is important that the whole building is insulated to reduce heat loss. The figure below shows a representation of how heat is lost from a typical house.

The Stern review suggests that our warming climate should reduce the demand for space heating and this, combined with improving insulation standards, should reduce our need for energy to heat our buildings.

## **Energy Consumption** in Buildings



#### **Appliance Use**

After heating, the next largest user of energy is domestic appliances. Recent data suggests that energy consumption by domestic appliances is increasing. Whilst many appliances are not fixed parts of the building and are not considered by building standards guidance as such, the Code for Sustainable Homes has started to include recommendations for fixed appliances and white goods.

#### Lighting

Lighting is another main user of energy in housing and even more so in commercial buildings. Careful selection of lighting units, including external lighting, controls and switches can reduce energy use in this area.

#### Cooling

Generally speaking, cooling requires more energy than heating and in commercial buildings, especially those with large numbers of computers, cooling is often the largest energy user. With the anticipated warmer summers, increasing cooling requirements and the development of the domestic cooling market are concerns when trying to reduce energy use.



#### **SOLAR PV INSTALLERS & ELECTRICAL CONTRACTORS**

Generate your own electricity and get paid for it TAX FREE Act now to secure a 21p feed in tariff rate

- Fully accredited local independent contractor
- All work guaranteed and fully insured
- Complete installations from £5,000
- Annual returns of 12.5% plus are achievable
- System payback can be within 8 years
- Government guaranteed tariff payments for 25 years
- Tariff payments are index linked to RPI
- Free installations arranged if required
- Part and full finance arranged if required
- Perfect for going green and easing rising electricity costs

#### CALL TODAY FOR PROFESSIONAL ADVICE AND FREE SURVEY

Tel: Office on 0203-489-7195 e-mail: ericahmet@testelect.co.uk

Tel: Eric on 07538-676066 website: www.testelect.co.uk










if we are to build sustainable buildings it is important that preserving energy is considered as part of the design process. When designing a building, careful consideration of the layout can make the most of sunlight, shelter and natural ventilation to create buildings that are naturally comfortable for their occupants, reducing the need for artificial heating, lighting and cooling.



## **High Elms Tree Surgery Ltd**

**ESTABLISHED FOR OVER 17 YEARS** 



NPTC CERTIFIED

City&

Guilds

- FELLING
- CROWN LIFTING
- STUMP REMOVAL
- DEAD WOODING
- REDUCTIONS
- HEDGES TRIMMED. SHAPED & REMOVED
- SHAPING & LOPPING
- WOOD CHIPPINGS
- LOGS DELIVERED
- TREE REPORTS
- T.P.O. & PLANNING **APPLICATIONS**
- TREE SURVEY INSPECTIONS
- 24hr EMERGENCY CALL-OUT
- No Job too small
   FREE Estimates
   Advice
- Fully Insured to £10 million & Approved by Local Authorities

01582 840144 or 07939 623675

www.highelmstreesurgery.co.uk

Registered in England No. 5005478 VAT Reg. No. 847 4261 12

The extent to which the benefits of passive solar design can be used will be influenced by the constraints of the site on which the project must be constructed; the orientation of a rear extension will inevitably be fixed by the existing building, but application of the principles of passive solar design can still result in significant energy savings and comfortable living spaces.

Benefits of passive solar design include:

- Simple layout and building design principles can achieve savings of up to 10% of fuel costs for heating and cooling.
- Passive solar developments need cost no more than 'conventional' developments.
- Good layout and design results in natural comfortable spaces that are attractive to users.
- Passive solar design is not dependent on technology and has no ongoing cost implications.

Careful orientation is vital for passive solar energy gains. The elevation with the largest proportion of glazing of each building, or extension should be orientated within 30° of south (solar orientation) with a smaller proportion of glazing on the north elevation. Over shading by other buildings should be minimised.

Deep-plan buildings, e.g. offices, tend to be highly energy dependent, with the middle of the building needing electric lighting and mechanical ventilation throughout the day. Large buildings should be designed to give all occupants access to natural light and ventilation, either by a more complex form, or with courtyards, light-wells or atria which introduce light and air deep into the building.

Trees that will grow to overshadow buildings should be deciduous so that they allow sunlight to pass through the bare branches in winter yet provide shading in summer. Shelterbelts, made up of mixed species, can be located to the north of development, or where they will give shelter from the prevailing wind. They should be distanced 3-4 times their mature height from south-facing elevations. Green space can also reduce storm water run-off and helps lower the risk of urban flooding.

With predicted increases in summer temperatures, building design will need to ensure there is adequate cooling to prevent uncomfortable internal temperatures. The most sustainable way of achieving this is through natural ventilation. At its simplest this takes the form of windows which can be opened by adjustable amounts. Positioning opening windows or air vents on opposite walls draws fresh air through the building.

Night cooling provides ventilation that is secure enough to be left open at night. It is a very effective way to bring down the temperature of a building and takes the form of windows with a secure open position, or air vents in the wall. It works best if the building has a high thermal mass which can absorb heat throughout the day and then disperse heat as it cools overnight.

External shading from adjustable awnings and shutters, or permanent sun louvres, can block out sun when it is high in the sky in summer, but still allow sun in when it is lower in the sky in winter or early and late in the day. South facing windows actually make this form of shading more effective. Internal shading, e.g. blinds, is less effective for reducing excessive heat gains.

In urban areas, green spaces provide some respite in extreme heat. Planting can provide shade for amenity areas and car parking in summer.

Passive solar energy construction does not need to be significantly different in appearance to conventional buildings. If it is possible to achieve good solar orientation (see layout guidance above), the following measures should be

**Glazing:** a rule of thumb is to have a conventional amount of glazing but to locate 70% of the glazing on the south elevation. If windows are too large, heat loss may outweigh solar gain, and occupants' desire for privacy is likely to lead to installation of net curtains or blinds which block out the solar gains. There should be less glazing on the northern elevation, although windows that provide sufficient daylight and ventilation to the room are recommended.

**internal Layout:** locate well-used rooms requiring warmth and light on the southern side. In a house this will probably be the main living rooms and largest bedrooms. Locate less well-used rooms, those requiring heat generating appliances, and rooms that should be cool, on the north side of the building. In a dwelling this could be the kitchen, bathroom, utility room and garage. İn a commercial development this could be storage areas, or the location of working machinery which will generate heat as a by-product.

Thermal Mass: solid heavy walls and floors absorb heat slowly in warm conditions, and give it out slowly again when it is cooler.

**Insulation:** well-insulated walls and roofs make the most of the heat gained through passive solar design and these will be discussed in more detail later in the chapter.



#### Carpet Suppliers & Fitters

of Bow & Chingford

We offer a wide range of quality flooring services with an exclusive supply and fit service for domestic and commercial customers across North and East London and the surrounding areas.

We can fit floors of any type and style (specialising in carpets), which are fitted by our highly trained and qualified staff.

Our highly skilled team are committed to providing the highest standards of service to all our customers at a competitive price.





#### Established in 1959

**Carpet Suppliers and Fitters of Chingford** 27 Southern Lodge, Harlow, Essex CM19 4NH Tel: 0845 845 0245 Mobile: 07956 426223 Web: www.carpetfittersofchingford.com

Once the orientation and form of the building have been designed, careful consideration should be given to the technical aspects of energy design. Chapter 2 explored how energy was used in buildings. A well-designed building will minimise the energy input required to create comfortable internal conditions and will ensure that the energy that is required is generated and used in an efficient way.

#### **Heat Loss and Insulation**

Much of the energy consumed by buildings is used for heating. Buildings tend to be maintained at temperatures that are above the external air temperature and the heat within our buildings is constantly trying to escape. One way that it does this is through the materials that make up our buildings, the fabric. Heat is lost through the walls, roofs, floors and all other exposed surfaces of our buildings. Where buildings are cooled, the same principle applies but in reverse, as the hot air from outside comes into the building and raises the internal temperature.

Heat loss can be reduced by adding thermal insulation to the walls, roofs and floors that enclose our buildings. Building materials allow heat to pass through them at different rates. Some materials such as steel are good conductors of heat and they allow heat to pass through them very easily, whereas other materials such as fibreglass offer much more resistance to the passage of heat and these are known as insulants. A wellinsulated building will reduce the amount of heat that escapes, this will reduce the demands on the heating system and it will therefore be more energy efficient than a poorly insulated building.

To help us compare how effective various types of construction are at reducing heat loss we use a measure called U Value. This is a measure of how much heat is lost for every m<sub>2</sub> of an element based on a one degree temperature difference. It is expressed in W/m<sub>2</sub>K, so if a house wall had a U Value of 0.25 W/m<sub>2</sub>K, each square metre of the wall would lose 0.25 watts for every degree of temperature difference there was between the inside of the house and the outside. It can be seen from this that lower U values are an indication of better thermal performance.

U values can be used to measure the performance of any external part of the building and the following paragraphs explore some of the options available to improve the thermal performance of the building elements.

Walls: most new walls constructed in the UK are cavity walls. These walls are formed from two skins of masonry tied together with a gap known as a cavity in between. This cavity can be filled with insulation to improve the thermal performance of the wall. This reduces the amount of heat lost and improves the thermal performance of the building. Where walls are made from timber frame units or cladding panels a similar principle applies. The U value of the wall is related to the thickness and quality of the insulation that is placed within the wall and thicker, better quality insulation materials give lower U values. When considering exposed sites, care must be taken to ensure that water and driving rain cannot enter the building.

**Roofs:** these can take a number of forms. In simple pitched roofs insulation can be placed in the loft above the ceiling to reduce heat loss. With sloping ceilings or with flat roofs the insulation layer can be placed above, between or below the roof timbers depending on the space available. Generally speaking with sloping ceilings and flat roofs higher quality insulation materials are needed to achieve suitable levels of insulation and thicker, better quality insulation will give lower U values. It is important to ensure the insulated roofs have adequate ventilation or vapour controls to prevent timber decay.

**Ground Floors:** although heat rises, significant amounts of heat can be lost through ground floors. To restrict heat loss, floors should include an insulation layer. This can be provided in a number of ways: with concrete floors, flooring grade insulation can be placed below the concrete or screed and with suspended timber floors, insulation can be placed between the floor joists. As with walls and roofs, thicker, better quality insulation will give lower U values.

Windows and Doors: well-fitted high performance windows and doors can make a significant difference to the performance of a building as a large proportion of a building's heat is lost in this area. Double or triple glazed windows with low emissivity coatings can reduce heat losses and should be specified wherever possible.

**Cold Bridging and Junctions:** as insulation levels of the various building elements improve the heat loss, the junctions between them becomes more significant. To reduce this issue, care should be taken to ensure that the insulation layers all link together so that the building is enclosed in an insulated envelope.





Telephone/Fax/Answer Phone:

- Foundations
- Block Paving Drives and Paths Hard ad Soft Landscaping
- Patios

- Garden Walls
- Drainage

Correspondence and Invoice to: The Bungalow, Birchall Lane, Cole green, Nr. Hertfordshire SG14 2NR Good insulation can make a huge difference to the amount of energy required to heat or cool a building. It is permanent and does not require energy to run it, cannot be switched off and is key to energy efficient design.

#### **Air Tightness**

If the fabric of a building is well insulated and the junctions are carefully detailed, another large area of heat loss could be through air leakage. If a building is not airtight, warm or cooled air will escape and energy will be required to heat or cool the replacement air to ensure that comfortable conditions are maintained inside the building.

Some air movement and ventilation are essential to ensure comfortable living conditions for the building users, but excessive ventilation is not energy efficient.

Careful sealing of the building and controlled ventilation are a key part of energy efficient design. When designing and constructing a building care should be taken to ensure that all junctions are designed to limit air leakage and all service entries should be carefully sealed. Airtight membranes can be included within the building to reduce leaking air and buildings can be air tested on completion to ensure that they are reasonably airtight.

#### **Heating and Ventilation**

Even with the highest standards of energy efficient design most buildings will still require heating or cooling input. By maximising the benefits of passive solar design, building insulation and air tightness, the energy input required by the building should be minimised and to build sustainably we must ensure that this energy is created and controlled in the most efficient manner possible.

Once demand has been minimised, the most sustainable way of heating and cooling a building is by using renewable energy. A number of on site renewable energy options are explored in some detail in Chapter 6 of this guide and the choice of how the building demands are met will be largely site dependent. If renewable technologies are not appropriate or feasible it is still important to ensure that the building's requirements are met in the most efficient way possible. Condensing gas or oil boilers are very effective and can often be combined with renewable technologies to create highly efficient buildings.

As buildings become more airtight, ventilation design becomes more important as we can no

longer rely on draughts and air leakage to provide the air that we need. For energy efficient design, controlled ventilation is required to ensure that adequate air is delivered where it is needed and this will ensure comfortable environmental conditions but avoid wasting energy heating or cooling unwanted air. Proprietary whole house ventilation systems are now available, some of which include heat recovery units to ensure optimum internal conditions with minimum energy input.

#### **Building Controls**

To ensure that energy is used efficiently, building controls have a vital part to play if we are to build sustainably. Without adequate controls, energy can be wasted heating and lighting spaces that are not occupied, or worse still, cooling buildings which are overheated because occupants cannot turn the heating down.

The level of controls that are needed will be determined largely by the size and use of the building. The simplest controls are time switches that allow users to program heating systems to turn on and off to suit their lifestyles. Thermostats, room stats and radiator valves improve control of heating systems as they will shut down the boiler to stop heat being wasted once a set temperature has been reached. Where multiple thermostats or radiator valves are installed they allow different parts of a building to be kept at different temperatures and allow some parts of the building to be unheated if, for example, they are not in use.

More complex buildings can be fitted with complete building management systems. These monitor internal and external temperature and, using computer software, ensure that the building services are used to their optimum efficiency.

Lighting can also be controlled through a variety of systems: Passive InfraRed (PIR) sensors can be used in toilets and rooms that are not always used and the simplest controls can be provided by local switches that allow users to switch off lights that are not required.

The best sustainable buildings will combine all of the factors mentioned above; their designs will minimise energy use, optimise renewables and will generate and use energy efficiently to create sustainable comfortable spaces.

## Sustainability, Planning and Buildi Regulation Requirements

Planning Permission and Building Regulation consent are required for all significant developments and sustainability is a key theme that runs throughout these pieces of legislation. This chapter will summarise some of the key areas that should be taken into account when considering a development.

#### **National Planning Policy Framework**

The National Planning Policy Framework (NPPF) sets out the Government's planning policies and how these are expected to be applied. At the heart of the NPPF is a presumption in favour of sustainable development. The NPPF goes on to provide more detailed policies in respect of housing, the economy, transport, climate change, renewable energy, flooding and the environment.

#### Regional and Local Planning Policy

The principles of sustainable development in Planning terms are set by the National Planning Policy, however, the detailed requirements for a particular development site will be set at regional and local level. The Local Planning Authority relevant to the development site will have a Local Plan or Local Development Framework which will contain requirements and advice about the sustainability requirements that will be imposed on the development.

#### The Hertfordshire Building Futures Partnership

Building Futures is an evolving web-based guide, designed to provide practical, user-friendly and up to date guidance for planning officers, developers and the general public on how to make development in Hertfordshire more sustainable and of a higher quality in design terms. The site may be found at www.hertslink.org/buildingfutures/

The intention of the local authorities of Hertfordshire has been to create a guide which is relevant to the Hertfordshire context, rather than metropolitan locations, which most central government guidance tends to focus on.

The Hertfordshire Building Futures Partnership is currently developing a new Retrofit Resource for homeowners and commercial landlords that will support efforts toward making homes and commercial properties in Hertfordshire more resource efficient and resilient to the likely impacts of climate change.

#### **Building Regulations**

As well as meeting Planning Permission requirements developments will also have to comply with the Building Regulations and sustainability requirements appear in several areas.

Part L of the Building Regulations covers energy use. The energy use of new buildings is assessed using a Standard Assessment Procedure (SAP) for housing and Simplified Building Energy Model (SBEM) for non-domestic buildings. These are standard methods of calculating the design energy use of a building approved by the government.

SAP and SBEM assess a building's performance in terms of thermal insulation, air tightness, heating and ventilation efficiency, fixed electrical consumption and overheating potential. They take account of any energy provided from renewable sources and produce two figures:

TER – the carbon emission rating required by the Building Regulations



### DL ELECTRICAL AND PLUMBING SERVICES

At DL Electrical and Plumbing we do what's best for our customers, the job you want, at the time you want, for the price you want.

#### Call today for a free quotation

Rewires **Boiler Service** Lighting **Bathrooms** Solar PV Kitchens Additional Boiler Breakdowns Circuits And much more Consumer Units





Call: 01279 503339 or 07748 104066

www.dlelectricalandplumbing.co.uk

DER (Domestic) or BER (Non-Domestic) – the anticipated carbon emission rate for the building as designed.

To show compliance with the Building Regulations the DER or BER must be lower than the TER.

The government are committed to tightening the energy standards within the Building Regulations and this will be achieved by progressively lowering TER values until Zero Carbon status is achieved (see Chapter 5), the current programme proposes that this level is achieved by dwellings in 2016.

**Part G** of the Building Regulations includes guidance on water use in dwellings and, using a standard calculation method, it has to be demonstrated that the design water consumption of each house or flat does not exceed 125 litres per person per day.

**Part H** requires soakaways and infiltration drainage to be used for rainwater disposal wherever possible to reduce the storm loading on the sewer system and the subsequent flooding risk.

As well as Planning and Building Regulation requirements there are other areas that need to be considered. The more common assessment tools include:

The Code for Sustainable Homes: this takes a holistic look at the sustainable credentials of new houses. Assessments are made against nine separate categories ranging from energy and water use through to ecological impact. A scoring system is used to combine the results into a Code Rating between 1, the entry level, and 6, the highest level, which is a zero carbon home. All new houses should receive a rating against the Code for Sustainable Homes and this should allow purchasers to make more informed choices.



Office: Unit 2, Laxcon Close, Drury Way, Industrial Estate, London, NW10 0TG Showroom: Unit 16, Iron Bridge Close, Great Central Way, London, NW10 0UF W: www.klynstone.com E: info@klynstone.com T: 0208 459 7774 F: 0208 451 7684





Klyn Stone offers a wide range of exceptional design and installation services ensuring your needs are met without any complications. Our friendly staff are always waiting to help make your dream home.



- Granite & Quartz Worktops Nolte Worktops Nolte Kitchens Crown Kitchens & Bedrooms -
- JJO Bedrooms & Kitchens Kitchen Appliances Carpets Kitchen Sinks, Taps & Accessories -
- Porcelain & Ceramic Tiles Stone & Mosaic Tiles Wooden Flooring & Under Floor Heating -
- Bathroom Furniture Sanitaryware Showers Bathroom Accessories Lighting Radiators -







"The Local Planning Authority relevant to the development site will have a Local Plan or Local Development Framework which will contain requirements and advice"

BREEAM: this is a system broadly similar to the Code for Sustainable Homes that is applied to non-domestic buildings. It produces a rating that allows the relative sustainability of non-domestic buildings to be compared.

#### **Energy Performance Certificates:**

all buildings must have energy performance certificates when they are built or sold. The certificates give an indication of the likely energy use of a building and have a rating system similar to the one used on domestic appliances, an A rated building being more efficient than an E rated building. The certificates also contain information about a building's potential energy rating if basic improvements were carried out. Energy Performance Certificates are intended to provide purchasers with energy information about the building they are purchasing and to highlight the benefits that could be achieved if they invested in building improvements.

In summary, there is a wide range of legislation that affects new development, much of it is interrelated and it all seeks to improve the environmental performance of the buildings that we construct and use.

#### SEAN CONNOLLY

#### BUILDING & PROPERTY MAINTENANCE

Tel: 07908 178239

#### Total home repairs, maintenance and professional improvements

- Extensions and Structural Alterations.
- Maintenance and repairs.
- Kitchen and Bathroom Design and Installation.
- Driveways, Patios and Landscaping.
- Interior Design, Painting and Decorating.
- Insurance work undertaken.

A friendly local company with a reputation For service and care

For a free, no obligation quotation contact:

Office: 01727 861214 Mobile: 07908178239

Email: connolly7@ntlworld.com



## What is **ZERO**Carbon Dioxide?

The government have made a commitment that all new homes constructed after 2016 will be zero carbon. The Code for Sustainable Homes offers two definitions of zero carbon.

At code level 5 homes should, over a year, have zero net emissions of carbon dioxide in respect of the energy used for heating, lighting and ventilation.

At code level 6, the highest level achievable under the Code for Sustainable Homes, homes should have zero net emissions of carbon dioxide in respect of heating, lighting, ventilation and all other energy used in the house including appliances.

At the current time it is not clear which definition the government will use but it is clear that meeting either definition will present everyone with a significant challenge.

In 2008 the government commissioned a study from The Green Building Council which concluded that 'requiring all  $\mathrm{CO}_2$  emissions to be mitigated on-site would be physically impossible on the vast majority of new dwellings'. In response to this a new approach to zero carbon where energy efficiency, on-site renewables and a new concept of 'Allowable Solutions', made up of low and zero carbon energy generated was devised.

This new method acknowledges that we will only be able to move to zero carbon housing through a properly coordinated programme of improvements.

The first step is to build homes to the highest practicable standards of energy efficiency and research is currently being undertaken to see how far we can realistically push up air tightness and thermal insulation standards. It is important to maximise the benefits in this

area as good energy efficiency can significantly reduce the amount of energy that we will need to generate to power our homes.

When energy efficiency has minimised the energy requirements for new homes it is proposed that as much as possible of the homes' remaining energy needs are met by renewable energy sources installed on site. Chapter 6 provides more details of the small scale renewable technologies that can be used to generate both heat and electricity for homes and these should meet a significant portion of the energy requirements of an efficient home.

It is acknowledged that having maximised the benefits of energy efficiency and on site renewables, energy will still need to be imported to the site. If we are to move to zero carbon housing we will need low carbon energy to be produced through projects such as wind farms and tidal schemes so that this can be imported to the site, and the government's ambition of building zero carbon housing can be achieved.



#### **Quality Scaffolding Services** For Your Construction and **Maintenance Projects**

We cover all aspects of scaffolding and specialise in temporary roofing.

With many years experience, whether you choose us for commercial or domestic scaffolding, you will be in safe hands.

24 hour call out service for any scaffolding emergencies.



Contact us on 01525 211 13





Top Quality PVCu Windows. **Doors & Conservatories** 

Where Quality & Service Are Not A Myth

www.unicornwindows.co.uk Email: sales@unicornwindows.co.uk

For A Totally Obligation Free Quotation Call Us Free On 0800 092 5212







Head Office & Factory: Unit 3. Youngs Industrial Estate Stanbridge Road, Leighton Buzzard, Beds LU7 4QB Tel: 01525 854272



At Solarcroft we do not use sales staff... all advice and guidance will be provided by our qualified technical team who do not work on commission.

To find out more about how you could benefit from a Solar PV and/or Solar Thermal System...

Call us now on 0845 567 1001 or see our FAQ's section below.

SOLARCORFT IS THE RENEWABLES DIVISION OF BIRCHCROFT PLC

www.solarcroft.com



















Micro-Generation Systems are an established supplier of Renewable Energy Systems from design through to installation and commissioning.

We work both in the domestic and commercial sectors and have won several awards for our commercial activities.

We are accredited for PV and Solar thermal solar panels, Air and Ground source heat pumps as well as Biomass boilers.

For professional expert advice on any aspect of incorporating renewables energy in your project please contact on the details below.

Solar House, P.O. Box 291, Hertford, SG13 1DU.

www.m-g-systems.co.uk



#### clarke2renovate.com



#### "Renovation & Developments Personified"

We understand the excitement that goes hand-in-hand with planning that new space to vour home. A space where vou, your family and friends can enjoy.

Well auess what? - We too enjoy using our experience to help our clients through this process – a process which we want to be eniovable, smooth and hassle free!

If you would like to talk over a project which is in the planning department process or you just need ideas of what's possible, we'd love to have a no obligation chat with you.



Just email us on: info@clarke2renovate.com Or visit: www.clarke2renovate.com or call: 01462 711000



## renewable ENERGY

One way of reducing the  $\mathrm{CO}_2$  impact of a development is to look to maximise the use of renewable energy. This is energy that does not rely on diminishing fossil fuels but uses the natural resources around us to create useful energy with low environmental impact.

Large scale renewable energy installations such as wind farms and tidal barrages can feed significant amounts of renewable electricity into the National Grid and going forward these are likely to make a significant contribution to our moving to a low carbon economy. At a more local level, nearly all sites have some potential to create energy through the use of micro renewables and this should not be ignored. The selection of the most appropriate technology is the key to the successful implementation of a micro renewable installation and in this chapter we will explore some of the more common solutions that are available.

**Solar Thermal (Water Heating):** with this technology, heat from the sun is used to heat domestic water. Generally, solar panels are mounted on the roofs of buildings and these capture heat from the sun and transfer it to a liquid (a mixture of water and antifreeze) which is then circulated through a coil in the hot water cylinder to heat the domestic hot water.

A wide range of panels are now available and they generally fall into two categories:

- Flat Plate Collectors: these tend to be the least expensive and lowest profile systems; they can also be the least visually intrusive.
- Evacuated Tube Systems: these tend to be more expensive, but as they are generally more efficient, smaller arrays can be installed to meet the building's energy requirements.



In new build developments, panels can be recessed or designed into roofs to minimise visual impact.

The effectiveness of Solar Water Heating depends largely on the amount of sun that is available. Panels should ideally be installed on unobstructed roof slopes that face south, southeast or southwest. In the UK, climate back up systems are required, usually from the central heating boiler, to cope with dull days or times of high hot water demand. Solar water heating systems in the UK can typically provide between 55% and 70% of the hot water requirement and for a 3 bedroom house 3-4m1 of panels are normally required.

With the panels installed, there are a number of ways of connecting the panels to the domestic hot water system. The system designer must ensure that suitable controls and safety devices are in place and the most common systems use a dual coil hot water cylinder. The solar panels are connected to a coil in the bottom of the hot water cylinder and the back up system connects to a coil in the upper part of the cylinder.

**Solar Electric (Photo Voltaic):** this technology captures energy from the sun and using semiconductor material, converts it to electricity. This can then be fed through an inverter into the buildings' electricity system or, subject to suitable connections and licences, fed into the National Grid

Most systems use roof mounted panels which are ideally sited on an unobstructed south, southeast or southwest facing roof. For new build or re-roofing projects, photovoltaic slates or tiles could be considered as these integrate into the roof of the building and are less visually intrusive.

The amount of electricity generated by the panels is dependent on the sunlight available and the area of panels installed.

Heat Pumps (ground source and air source): heat pumps extract heat from their surroundings and using a compressor upgrade it to a higher temperature. They are generally driven by electricity and work on the same principle as a domestic fridge. The efficiency of a heat pump is measured by its coefficient of performance (COP) and generally, for every unit of energy fed into a heat pump, 3-4 units of heat are produced, depending on the COP of the heat pump chosen.

All heat pumps require a source of heat and the most common heat pumps use either around or air as their heat source.

Ground source heat pumps extract heat from the ground around the building. An underground network of pipes are installed either in vertical or horizontal loops depending on the nature of the site. A mixture of water and antifreeze is then circulated through the pipes: the heat is extracted from the liquid and compressed by the heat pump to produce useful heat that can be fed into heating and hot water systems.

Air source heating systems work on a similar principle, but instead of using an underground network of pipes, they take their heat directly from the surrounding air. This can significantly reduce installation costs, but the resulting systems tend to have a lower COP and are therefore less efficient.



If you want the FACTS come to the experts 01442 236664

#### CCTV SURVEYS INCLUDING FULL WRITTEN REPORT. DRAINAGE LAYOUT. DVD AND RECOMMENDATIONS

- · Sinks, baths and showers unblocked
- · High pressure water jetting
- Drain excavations and repairs
- Mechanical root cutting and removal
- In-Situ pipe relining
- Preventative maintenance

Email: drain-spec@ntlworld.com www.drain-spec.co.uk



DRAIN-SPEC ARE NOT A FRANCHISE COMPANY, BUT A RELIABLE **FAMILY OWNED BUSINESS** 

FAST RELIABLE SERVICE AT COMPETITIVE RATES

#### Wilson and Sons Ltd



#### **Building Alterations** and Restorations

T: 07767 211822 01992 463159

E: darrenwilson1@ntlworld.com W: www.wilsonandsonsltd.co.uk It is generally thought heat pumps work best when they are operating at relatively low temperatures. This makes them especially compatible with low temperature heating systems such as under floor heating and with well insulated buildings that have a high thermal mass.

Because they require electricity to run them, heat pumps are not strictly speaking a renewable energy source, so to gain environmental benefits it is important that an efficient heat pump is selected and that the building is designed to maximise the benefits that the heat pump offers. Another advantage of heat pumps is that they can often be reversed to provide summer cooling if required.

**Biomass:** this system uses plants, generally trees, as a fuel source. Timber is burnt to produce heat which is then used to heat buildings, either directly through a central heating system or to heat water. Plants respire using a process known as photosynthesis. As plants arow they take in carbon dioxide and emit oxygen, the carbon dioxide is held within the plant until, when used in a biomass heating system, it is burnt. Providing that another tree is planted to absorb the carbon dioxide emitted by the tree being burnt, a sealed carbon cycle is created and the energy can be considered renewable.

Biomass can be used in buildings in a number of ways. At its simplest, a log burning stove uses biomass to produce direct heat. At the more complex end. biomass boilers using wood pellets can provide effective heating for very large buildings. Issues to be borne in mind when considering biomass include the availability of the fuel and the storage of the fuel, which is bulky. Also, biomass is not the most controllable of fuels, as some biomass devices cannot automatically shut down and restart

Wind Turbines (small scale): wind turbines use the power in the wind to rotate blades which turn an electricity generator. The electricity generated is then passed through an inverter into the building's electricity system or, subject to suitable connections and licences, fed into the National

The amount of electricity generated depends on the wind available and generally the higher that the turbine is located the more reliable the wind source will be. Large scale, well located wind turbines have proved to be a very effective way of generating electricity. In domestic situations, building mounted turbines have suffered with the effects of turbulence caused by adjoining trees, buildings and structures. When considering small scale wind power it is important to get an accurate local appraisal carried out to establish how much electricity the turbine will realistically generate in the proposed location.

When considering any renewable installation it is important to think about the effects it will have on the supporting building, such as the additional loading panels will place on roofs etc, along with any ongoing maintenance requirements for cleaning etc. When choosing a technology it is also important to think about potential future developments and to try and avoid things like placing panels where the sun could be blocked out by growing trees or future extensions, as far as possible.

In some circumstances it may be appropriate to use more than one type of renewable energy source and the technologies can often be used in combination to produce highly efficient buildings.



## R. TAYLOR & SON LTD **FENCING** & GATES ALL TYPES SUPPLIED & ERECTED 267 Baldwins Lane, Croxlev Green, Rickmansworth, Herts, WD3 3LH

Tel: 01923 778437 Fax: 01923 770314 Email: fencing@tayfix.com www.tavfix.com

We offer a variety of Building & Construction services. our main services include:

#### **Groundworks & Civil Engineering**

- Groundworks - Drainage - Bulk Excavation - Concrete Works - External Works & Payings

#### **Building & Construction**

- General Building - New Builds - Brickwork - Extensions - Renovations

#### Soft Strip & Demolition

- Soft Strip - Demolition - Site Clearance

#### Plant Hire & Labour Supply

- Mini Excavators - JCB's - Tracked Excavators - CSCS Certified Labourers - CSCS Certified Tradesmen

#### Professional Services

- Project Management - Estimating - Quantity Surveying - Site Engineering - Plant Hire

#### www.mcgoverngroup.co.uk

Tel: 01727 370592 Fax: 01727 370593

12 Aubrey Avenue, St Albans, Hertfordshire AL2 1LX

#### **S & S Building Construction Ltd**

#### Loft Conversion Specialists - Hounslow

Are you beginning to out grow your current property? Before you think about moving or having an extension, consider converting your loft into an extra room. At S & S Building Construction Ltd. we provide a complete service from design through to completion including the installation of electrics, plumbing and heating.

The benefit of a loft conversion means you get a larger property without the enormous costs of moving house, so why not get in touch with us, your local loft conversion specialists, to discover what we can do for you.



Tel: 0208 570 2450 | 07956 992222 74 Kingsley Rd, Hounslow, Greater London TW3 1QA Email: ssbuildingservices2011@hotmail.co.uk Web: www.ssbuilding.co.uk



#### Secure your energy www.jojusolar.co.uk supply and earn money in one stroke!

Intalling solar panels will keep your energy costs down, so you can focus on your customers!

- Earn up to 15% IRR with solar panels
- Work with an experienced and reliable installer
- First MCS-accredited solar installer in London
- Technical expertise from initial quote to project sign-off

Call us on 020 7697 1000 or email commercial@joju.co.uk



# Valle I Management

Water is a key element for living and in terms of sustainability, water management can be considered in two main areas; clean water use and management of rainwater.

**Clean Water Use:** as the UK population grows and our standard of living improves the demands placed on our water systems increase. The problems this can cause are exaggerated when the large populations live in concentrated areas as happens in large towns and cities, especially when most of these are located in the South East of the UK as this area has the lowest levels of annual rainfall.

The UK does not currently have a national water grid so even with our temperate climate and relatively high annual rainfall careful water management will be required to meet our future water demands.

Treating water so that it is suitable for drinking also requires relatively high levels of energy input, and as much of this energy will produce CO<sub>2</sub>, good water management makes sense if we are looking to reduce our CO<sub>2</sub> output.



When looking to manage water consumption a key factor is reducing use. A number of options are available to help achieve this and these include:

- **Aerating Taps:** these work by mixing air into water as it comes out of the tap. They have the effect of increasing the surface area of the water meaning that you need less for things like hand washing. Aerated taps are best suited to wash hand basins and other areas where things are washed in the water stream. They are less well suited to sinks and baths as here a fixed quantity of water tends to be needed to fill the bath or bowl.
- 2. **Aerating Shower Heads:** these work on a similar principle to aerating taps. The design of the shower head reduces the flow of water required to give a comfortable pressure for the user in the shower thereby reducing consumption.
- 3. Small and Shaped Baths: the amount of water used by a bath is largely determined by its volume. By fitting smaller or carefully shaped baths, water consumption can be reduced without significant effects on the user's comfort.
- **Efficient White Goods:** a significant amount of water is used by appliances such as washing machines and dishwashers. A lot of modern appliances incorporate water saving technologies to reduce their water consumption.
- **Dual Flush WCs:** these have two different flush volumes so that water is not wasted when only a small flush is required. Typical dual flush toilets have a 4 litre and 2 litre flush and this can add up to a significant water saving over the course of a day.
- **Greywater:** greywater systems collect water that has been used for washing and, after filtering, reuse it for things such as toilet flushing where drinking water is not required. Greywater can significantly reduce the amount of water used but it is essential that greywater is not allowed to contaminate the drinking water supply.
- 7. **Rainwater Harvesting:** this involves collecting rainwater for things such as watering plants and garden. At its simplest, a water butt can be added to a rainwater down pipe or more complex tank and pump systems can be installed depending on the amount of water that is required.

#### JAMES ELECTRICAL INSTALLATIONS

- Extensions
- Loft conversions
- Kitchens
- Bathrooms
- Rewires
- Repairs and faults
- Replacement consumer units (fuse boards)
- Certificates given to meet part P regulations



Mobile 07725 822134 Home 01279 777296 Email info@iameselectrical.co.uk



#### **R&D Electrical Services**

R&D Electrical Services are a fully qualified family run team of electricians with a combined experience of over 80 years. We are fully qualified to City and Guilds 17th Edition & are a member of ELECSA & Trust a Trader & are Part P registered. We specialise in all types of electrical installation. Domestic, commercial and industrial, no job is too big or small.

- · PAT Testing, Fault Finding & Tracing
- · Complete, Partial Re-Wires, Fuse Board Upgrades
- Power To Outbuildings, Extra Power Points
- · External Water Proof Sockets, Discreet Wiring · New Circuits, Down Lights, Security Lighting
- · Garden Lighting, Driveway Lighting
- · Passive Infra-red Sensors, Dimmer Controls · Lighting Repairs, Shaver Sockets, Extractor Fans
- · Storage, Convector & Panel Heaters · Under Floor & Under Tile Heating
- · Wiring For Media & Plasmas
- . Trunking Systems (Skirting & Dado)

#### 07885 656518

www.r-delectricalservices.co.uk r-delectrical@hotmail.co.uk

#### BUILDERS MERCHANTS

**EST 1968** 

- TRADE RETAIL
  - WHOLESALE
- 24 HOUR FREE DELIVERY
  - COMPETITIVE PRICES
- HIAB TRUCKS AVAILABLE FOR FAST UNLOADING

01727 790 750

Mon-Fri 7.30-5.00pm

1 BRICK KNOLL PARK ASHLEY ROAD

ST ALBANS AL1 5UG

FAX: 01727 845318 www.edelsonltd.co.uk From April 2010 the UK Building Regulations require that all new housing constructed has a design water use per person of not more than 125 litres per person per day. A standard calculation method will be used to work out how much water each house will consume when used in a typical way. The Code for Sustainable Homes takes this requirement further and points are awarded for reducing design water consumption down to as low as 80 litres per person per day. The allowance in the Building Regulations is likely to be reduced in the future as houses are expected to meet more demanding standards.

Rainwater Management: current weather patterns mean that rainfall tends to fall in short sharp bursts, and as a result of this we get large volumes of water to deal with in relatively short spaces of time. As our country becomes more developed more areas are covered in hard surfaces such as roads and paving and the water from these surfaces has to be drained

When the volume of water flowing exceeds the capacity of drainage systems flooding occurs and the risk of this needs to be minimised. There are several methods available to reduce the risk of flooding and some of the more common methods are explored below.

 Infiltration Drainage: this relies on the ability of the ground to absorb water. Most subsoils will soak up some water, more porous soils such as sands and gravels can generally absorb larger amounts of water than less porous soils like clays. If water can be absorbed by the ground close to where it falls it does not need to be drained away and the risk of flooding is reduced. Porous paving and soakaway drains are common types of infiltration drainage that can be used to reduce the loading on our drainage systems. "Treating water so that it is suitable for drinking also requires relatively high levels of energy input, and as much of this energy will produce CO<sub>2</sub>"

2. Attenuation: a lot of our drainage infrastructure, sewers and culverts etc. is old and was not designed for the drainage loads that we now need it to carry. To reduce the risk of flooding we need to ensure that the amount of water that goes into our drains does not exceed their capacity. One way of achieving this is to use attenuation where a control pipe is used to limit the water flowing off a site to a level that can be coped with by the surrounding drainage system. The water that cannot escape is held on the site in a tank or pond until it can safely flow away after the storm has passed over. Balancing ponds and storm tanks are common types of attenuation drainage.

If we are to build in a sustainable way it is essential that clean water use and rainwater run off are properly managed.

- refurbishment
- Purpose-made. joinery and mouldings
- Timber windows, doors and conservatories
- · Bespoke staircases
- Made-to-measure kitchens and bedrooms

#### W G HILLIER & CO **IOINERS & BUILDERS**

Established 1955

We offer a complete service to a high standard and quality workmanship



We have developed an excellent reputation, built up over many years.

We are trusted for our reliable service, competitive prices, high standard of skills, knowledge and workmanship.

50 High Street, Markvare, St Albans, Hertfordshire AL3 8HZ r: 01582 840236 e: whillier@hillierandco.co.uk w: www.joineryhertfordshire.co.uk





Electrical Services Solar Panel PV Installation and Maintenance

We are a well-established family run business who carry out all electrical work, including certification, within Greater London and Hertfordshire. Our prices are competitive and our work is completed to a high professional standard. We can provide references. Our electricians are fully qualified, approved, reliable, honest and

As a Napit approved contractor, we have been designated as competent tradesmen and work to all government. building regulations. We are also members of TrustMark, a consumer protection scheme that protects our

We also provide solar panel installation services and are an MCS approved installer, ensuring our work meets strict government standards. As MCS approved installers all of our solar PV installations are eligible for the Feed-In-Tariff and we can help our customers apply for this on the solar PV installations we carry out. This means any solar panel installation we do for you will earn you an income as well as provide you with free renewable energy. We are members of REAL Assurance, following a strict code set out by the Renewable Energy Association which governs the way we work and deal with our customers.

288 Mays Lane, Barnet EN5 2AP

Telephone: 020 8449 0279 • Mobile: 07913 050 780







#### Home Integrity Testing Ltd

#### SPECIALISTS IN DOMESTIC AIR TIGHTNESS

Home Integrity Testing specialise in domestic Air Tightness Testing and Consultancy to the building industry throughout the UK. We pride ourselves in providing a professional service focusing on customer satisfaction and positive results. Our range of services include:

- BINDT registered air tightness testing to ATTMA TS1 using UKAS accredited instrumentation
- Pre-test inspection and consultancy
- Nationwide coverage
- Flexible approach and pricing packages Authoritative reports and expert advice
- (before, during and after testing)
- Leakage path identification
- Testing of residential dwellings for the public to:
  - Identify draughts and cold spots
  - Improve home comfort
  - Lower heating bills

For further details on our products and services, please contact us: Tel: 0845 257 4480 Email: info@hitltd.co.uk

Home Integrity Testing Ltd. 13 Furse Avenue. St Albans. Hertfordshire AL4 9NF



We specialise in New Buildings, Renovations, Kitchens and much much more:

#### Our services include:

- General building work New Buildings
- Extensions Renovations Kitchens
  - Bathrooms Roofing Patios
  - Driveways Loft Conversions

#### All Guaranteed, Fully Insured & VAT Registered.

Groome & Sons is a family run business with over 25 years experience in the trade. We have worked hard over this time to build up a reputation based on quality workmanship and reliability.

Telephone: 01920 413367 Mobile: 07958 231815 Fax: 01920 413778

Web: www.slgroome.co.uk

121 St Margarets Road, Stanstead Abbotts, Ware, Hertfordshire SG12 8ER

# **ECOENERG**

- Boiler installations
- Radiators
- Bathroom suites
- Kitchen sinks & appliances
- Under floor heating
- Showers
- Landlord Gas safe certificates
- Solar
- Heat pumps

UK Eco Energy, Eco House, 143 North Road, Hertford Herts. SG14 2BX

Tel: 01992 53 80 80 • www.ukecoenergy.co.uk



We can design and install luxury bespoke bathrooms, refurbish a tired bathroom, simply replace an existing suite or fix a leaky tap. No job is too small and we will leave you feeling fully satisfied with the neat and efficient work that has been carried out.



#### **Generating Your Own Energy**

Airsource Heat Pumps absorb heat from the outside air, which can then be used in your home.

Solar Water Heating systems use heat from the sun to warm domestic hot water. As qualified installers we can advise you on the energy saving options that would be best suited to your project.



- · Bathroom Design and Installation
- All plumbing and related building work undertaken. No job too small
- · Full central heating systems installed
- Home Energy Generation
- Airsource Heat Pumps
- Solar water heating

Contact us to discuss your requirements and obtain a free, no obligation quote:

#### GEORGE GARNER 07989 863240 or 01992 308081 visit us at www.parklaneplumbing.org

# The Existing Housing Stock

There are currently around 26 million dwellings in the United Kingdom. In an average year new house building accounts for less than 1% of total housing so it is clear that, even if we are successful in reaching the demanding targets proposed for new housing over the next few years, it will have a relatively modest effect on our overall energy use unless we take steps to improve our existing housing stock. To put it another way 90% of our homes for 2020 have already been built.

Refurbishment of existing houses presents a wealth of challenges and opportunities and there are a number of areas where improvements can be made.

1. Building insulation: the first area to consider is the insulation levels in our homes. Significant energy savings can be made by improving insulation to walls and lofts. Insulation materials are relatively inexpensive and government incentives are sometimes available to encourage home owners to carry out this type of work. Top up insulation can often be added to lofts and homes with cavity walls can have insulation injected.

In the UK 43% of homes have solid walls and these are more difficult to insulate as the walls have to be lined with insulation. This can significantly reduce room sizes if placed inside and can cause problems with roof overhangs and junctions if installed externally. The construction industry has been challenged to come up with new products to overcome these issues and research into products such as thin insulating gel materials which may overcome this problem is currently being carried out.

## 邪 **REGAL RENOVATIONS**

Restoration - Design - Build

We have over 30 years experience in renovation and restoration of period properties. The service we can provide could be as small as a patio, to a fully built property.

This property is Mole Cottage, the oldest recorded building in Cobham, Surrey. As you can see an amazing transformation and returned to its original splendour.



This is a barn conversion in Hertfordshire. We created 5 separate dwellings, each one individual and unique offering stylish and contemporary living space.



Contact us today for a free, no obligation quote

Steve Garner 07768 985586 or Blair Wallace-Stocks 07939 772924

www.regalrenovations.co.uk

Historical Restoration - Extensions - New Builds - Barn Conversions **Electrical & Plumbing works - Decorating - Tiling - Interior Design** 

- 2. Doors and Windows: another area where houses lose a lot of heat is through the doors and windows. Heat is lost directly through the door and windows themselves and also through any gaps around them. Modern windows have to be draught proofed, double glazed and have a heat reflective coating on the glass. When all of these improvements are combined a well fitted modern window saves approximately 2/3rds of the heat that would be lost through an equivalent single glazed window. As heat loss through doors and windows account for a large part of the total heat loss from the house it is clear that replacement doors and windows can make significant improvements to the performance of existing buildings.
- 3. Air Tightness: As well as the heat that is lost though the fabric of the building a significant amount of heat is lost through draughts and other air leakage into houses, for example, around service entries and windows etc. Effective draught proofing work can make significant energy savings.
- 4. Efficient Services: As well as minimising the heat loss from our buildings if we are to improve the performance of existing houses we must also make sure that we generate the heat that we need as efficiently as possible. The most sustainable way to generate heat is arguably to use a renewable energy source (see below). Where this is not possible or where the renewable system needs a back up we should consider energy efficiency when replacing boilers and heating systems. In recent years heating systems have become much more efficient and modern condensing boilers can achieve efficiency ratings of well over 90%. Combination boilers can reduce losses from standing hot water cylinders and, where hot water cylinders are still required, the design of hot water cylinders has also improved significantly in recent years. Improved heating systems can help to reduce demand for fossil fuel.
- 5. Renewable Energy Sources: Chapter 6 provided details of some of the renewable

energy sources that can be used in buildings. Many of these systems can be installed onto existing houses and whilst the systems can be expensive to install the energy savings can also be significant. Renewable energy sources have the potential to significantly reduce CO<sub>2</sub> production from existing houses.

"In the UK 43% of homes have solid walls and these are more difficult to insulate"

**6. Controls:** as energy becomes more scarce and expensive it is important that we use it carefully. Modern heating and ventilation controls allow houses to use energy more effectively. Zoning and thermostatic controls can ensure that we only use the energy that we need and this can reduce our overall energy demand.

When considering work on existing buildings a decision has to be made about when it is best to carry out improvement works. When it involves replacing things such as windows or boilers that have not necessarily reached the end of their useful life, a balance needs to be struck between the energy costs of the early replacement of an element and the energy savings that the new element could deliver. Other factors may also need to be considered if for example the building is Listed or in a Conservation Area and of course the budget that is available to carry out improvements.

All of these considerations will influence decisions about what work is carried out and when. However, it is clear that if we are to significantly change UK energy demands improvements will have to be made to our existing housing stock.

### **NEWSTYLE OF TRING**

#### WINDOWS, CONSERVATORIES AND GENERAL BUILDERS

For all your property maintenance needs!

- · Established in 1996 we are a family run business who pride ourselves on quality workmanship, customer care and service.
- · Free inspection and estimates undertaken.
- All types of domestic building work, specialists in replacement windows and bespoke conservatories.
- · FENSA registered. BFRC "A" rated windows.



#### No gimmicks, no nonsense, just good old fashioned value for money!

For further information please contact us at: Unit 21. Silk Mill Industrial Estate, Brook Street, Tring, Herts HP23 5EF

T. 01442 822860

E. info@newstylewindows.co.uk



Prestige Projects Management are a well established company with over 30 years experience in planning. building and home improvements. We design and plan small new build developments, domestic extensions, conservatories and other home improvements in the Home Counties area, predominantly Buckinghamshire, Hertfordshire and Middlesex.

- From Concept to Completion
- · Planning advice, designs and budgets
- · Budgets, specifications and tenders
- · Established, proven builders introduced
- · Free initial consultation

01442 213888 info@prestige-projects.co.uk www.prestige-projects.co.uk 3 Marlowes Court, 67 Marlowes, Hemel Hempstead, Herts HP1 1LE

# Conclusion

The introduction to this guide suggested that there were a number of reasons why sustainability is an important issue. The guide has looked at the specific issue of what sustainability means from a Planning and Building Control point of view and hopefully the information provided within it has been useful and informative.

In terms of sustainability, as well as preserving resources, the Planning process touches on a wide range of other sustainability related issues. Anyone proposing development should for example make themselves aware of their responsibilities in respect of issues such as archaeology, biodiversity and protected species as these will often affect development. It can easily be argued that one of the key aims of the whole Planning process is to ensure that development is sustainable.

On a global scale the scope of sustainability of course goes far beyond the influences of the Planning and Building Control systems into major geopolitical issues such as allocation and use of natural resources and the desirability of economic growth and prosperity. Much has been written about this elsewhere and these issues will no doubt continue to be discussed.

Whilst acknowledging that the Planning and Building process is a small part in the larger sustainability jigsaw it is hoped that this guide has shown that our buildings make a significant contribution to our environmental footprint and that through careful design and construction we can minimise their environmental impact whilst still producing quality buildings.


#### **DESIGNER ELECTRICAL SERVICES**

**Looking for** reliable, qualified electricians in Hertfordshire or **North London?** 



We can offer the following services:

- . Test & Inspection. PAT Testing. Rewires. Fuse board changes and upgrades
- . Telecom and Data installation. Aerial Installation. **Garden and Street Lighting**
- . Commercial and office lighting. Landlords certificate. **Emergency lighting, General maintenance**
- . Boiler Control Wiring
- . LED Lighting Schemes
- T. 01923 265750 M. 07976 403102
- E. garv.croucher@btinternet.com





## Bathroom Plus

Bathroom Specialists

The Portakabin Rignals Industrial Estate Galleywood Essex CM2 8QX

Mobile: 07816 686543

Email: maintenanceplusltd@hotmail.co.uk



#### UNIQUE CONSTRUCTION

- Complete Building Services
   Reactive Maintenance
- Build Project Works
- M&E Services

- Painting & Decorating
- Bespoke Projects



m. 07540 145413 t. 01279 814097

e. mark@uniqueconstruction/mited.co.uk





We are a modern company but traditionally trained to full city and guilds advanced standard. To extensive knowledge of paint finishes and wall coverings.

Why choose ADR Decorating, affordable excellence, a painting and decorating service of exceptional quality at a price to suit you, that's what makes ADR Painting & Decorating special

#### No job to small

From Victorian town houses, modern apartments, new builds to your place of business. Our services include all ranges of interior and exterior decoration. To the highest standards. Based in Cheshunt and happy to do projects anywhere in the Hertfordshire area.

#### Our services include:

- Domestic and Commercial painting and decorating
- Repairs and insurance work
- Commercial work includes hotels, offices and schools
- Private work includes external work

#### Contact us on:

Mob: 07852 316520/07903 159517

Home Tel: 01992 628665

Email: andrew.decorator@googlemail.com

Web: www.adrdecorating.co.uk



## Boss **Installations** Ltd

Established 1995

**Specialist Kitchen & Bathroom Fitters**, **Decent Home Specialists & General Builders** 

- Carpentry
- Plumbing
- Decorating
- Flectrics
- Plastering

- Flooring
- Brickwork
- Tiling
- Roofing
- Extensions

We also undertake Voids work for Local Authority

07966 165 907 / 07854 954810 or 02084 210030

info@bossinstallationsltd.co.uk www.bossinstallations.co.uk











01992 558464 / 558468

'Scaff House' Lockhouse Ind Estate Mead Lane Hertford SG13 7AX Tel: 01992 558 464 Fax: 01992 558 494

Email: info@vandsscaffolding.co.uk www.vandsscaffolding.co.uk

V & S Scaffolding celebrating 25 years of experience in the industry providing all of your scaffolding needs including the following services:



#### SCAFFOLDING SOLUTIONS:

- · Industrial Units
- · Commercial Offices
- · Retail Buildings
- · Residential Buildings
- · Planned Maintenance
- · Restoration Projects
- · New Build
- · Public Buildings and Structures
- Listed Buildings
- · Housing Projects
- · Demolition and Dangerous Structures
- · International Airports
- · Mainline and Underground Stations

#### SCAFFOLDING SERVICES:

- Temporary Roof Systems
- · System Staircases
- · Edge Protection and Handrails
- · Hoist and Lifting Solutions
- Scaffolding Scheduling For Projects
- · Scaffolding Erection and Dismantling
- · 24 Hour Emergency Call-out
- Scafftag Inspection Service



#### OUTSTANDING JOB OUTSTANDING SERVICE





















Office: 01707 877710 Scoff Mobile: 07737 790322



- Family run business
- Domestic & commercial
- Liability cover fully insured £10 million
- Free estimates
- Very competitive rates
- 24 hours 7 days a week
- Specialists in temporary

# Contacts

#### Broxbourne Borough Council

Building Control, Broxbourne Borough Council, Bishops' College, Churchgate, Cheshunt, Hertfordshire EN8 9XE Telephone: (01992) 785566

Fax: (01992) 643386

Email: buildingcontrol@broxbourne.gov.uk

#### Dacorum Borough Council

Building Control, Civic Centre, Marlowes, Hemel Hempstead, Hertfordshire HP1 1HH

Telephone: (01442) 228000

Fax: (01442) 228581 Email: buildingcontrol@dacorum.gov.uk

#### East Hertfordshire District Council

Building Control Consultancy, East Herts District Council, Wallfields, Pegs Lane, Hertford SG13 8EQ Telephone: (01992) 531462

Fax: (01992) 531439

Email: building.control@eastherts.gov.uk

#### Hertsmere Borough Council

Building Control, Civic Offices, Elstree Way, Borehamwood, Hertfordshire, WD6 1WA Telephone: (020) 8207 7456 Fax: (020) 8207 7470

Email: building.control@hertsmere.gov.uk

#### North Hertfordshire District Council

Building Control, PO Box 480,

M33 0DF

Telephone: (01462) 474355 Fax: (01462) 474229

Email: building.control@north-herts.gov.uk

#### St Albans City and District Council

Building Control, District Council Offices,

Civic Centre, St Albans, Hertfordshire AL1 3JE Telephone: (01727) 819289 Fax: (01727) 845658

Email: buildingcontrol@stalbans.gov.uk

#### Stevenage Borough Council

Building Control, Stevenage Borough Council,

Daneshill House, Danestrete, Hertfordshire SG1 1HN Telephone: (01438) 242264 Fax: (01438) 242922

Email: buildingcontrol@stevenage.gov.uk

#### Three Rivers District Council

Building Control, The Town Hall, Watford, Hertfordshire WD17 3EX Telephone: (01923) 727125

Fax: (01923) 278304

Email: building.control@threerivers.gov.uk

#### Watford Borough Council

Building Control, The Town Hall, Watford, Hertfordshire WD17 3EX Telephone: (01923) 278303

Fax: (01923) 278304

Email: buildingcontrol@watford.gov.uk

#### Welwyn Hatfield Borough Council

Building Control, Council Offices, The Campus, Welwyn Garden City,

Hertfordshire AL8 6AE Telephone: (01707) 357391 Fax: (01707) 357255

Email: buildingcontrol@welhat.gov.uk

We very gratefully acknowledge the support of the firms whose advertisements appear throughout this publication.

As a reciprocal gesture we have pleasure in drawing the attention of our readers to their announcements. It is necessary however for it to be made clear that, whilst every care has been taken in compiling this publication and the statements it contains, neither the promoter involved nor the Publisher can accept responsibility for any inaccuracies, or for the products or services advertised.

Designed and published by Ten Alps Publishing, Trelawney House, Chestergate, Macclesfield, Cheshire SK11 6DW. Tel: (01625) 613000. www.tenalpspublishing.com Ref: BUN (June 2012)

























